











Unit No.	d	H1	A	E	P	S1	S2	H2	H	B	F	bolt size
UCP201	12	30,2	127	95	38	13	19	14	62	31	12,7	M10
UCP202	15	30,2	127	95	38	13	19	14	62	31	12,7	M10
UCP203	17	30,2	127	95	38	13	19	14	62	31	12,7	M10
UCP204	20	33,3	127	95	38	13	19	14	65	31	12,7	M10
UCP205	25	36,5	140	105	38	13	19	15	71	34,1	14,3	M10
UCPX05	25	44,4	159	119	51	17	20	18	85	38,1	15,9	M14
UCP305	25	45	175	132	45	17	20	15	85	38	38	M14
UCP206	30	42,9	165	121	48	17	20	17	84	38,1	15,9	M14
UCPX06	30	47,6	175	127	57	17	20	20	93	42,9	17,5	M14
UCP306	30	50	180	140	50	17	20	18	95	43	17	M14
UCP207	35	47,6	167	127	48	17	20	18	93	42,9	17,5	M14
UCPX07	35	54	203	144	57	17	20	21	105	49,2	19	M14
UCP307	35	56	210	160	56	17	25	20	106	48	19	M14
UCP208	40	49,2	184	137	54	17	20	18	100	49,2	19	M14
UCPX08	40	58,7	222	156	67	20	23	26	111	49,2	19	M16
UCP308	40	60	220	170	60	17	27	22	116	52	19	M14
UCP209	45	54	190	146	54	17	20	20	106	49,2	19	M14
UCPX09	45	58,7	222	156	67	20	23	26	116	51,6	19	M16
UCP309	45	67	245	190	67	20	30	24	129	57	22	M16
UCP210	50	57,2	206	159	60	20	23	21	113	51,6	19	M16
UCPX10	50	63,5	241	171	73	20	23	27	126	55,6	22,2	M16
UCP310	50	75	275	212	75	20	35	27	143	61	22	M16
UCP211	55	63,5	219	171	60	20	23	23	125	55,6	22,2	M16
UCPX11	55	69,8	260	184	79	25	28	30	137	65,1	25,4	M20
UCP311	55	80	310	236	80	20	38	30	154	66	25	M16
UCP212	60	69,8	241	184	70	20	23	25	138	65,1	25,4	M16
UCPX12	60	76,2	286	203	83	25	28	33	151	65,1	25,4	M20
UCP312	60	85	330	250	85	25	38	32	165	71	26	M20
UCP213	65	76,2	265	203	70	25	28	27	150	65,1	25,4	M20
UCPX13	65	76,2	286	203	83	25	28	33	154	74,6	30,2	M20
UCP313	65	90	340	260	90	25	38	33	176	75	30	M20
UCP214	70	79,4	266	210	72	25	28	27	156	74,6	30,2	M20
UCPX14	70	88,9	330	229	89	27	30	35	170	77,8	33,3	M22
UCP314	70	95	360	280	90	27	40	35	187	78	33	M22
UCP215	75	82,6	275	217	74	25	28	28	162	77,8	33,3	M20
UCPX15	75	88,9	330	229	89	27	30	35	175	82,6	33,3	M22
UCP315	75	100	380	290	100	27	40	35	198	82	32	M22
UCP216	80	88,9	292	232	78	25	28	30	174	82,6	33,3	M20
UCPX16	80	101,6	381	283	102	27	30	40	194	85,7	34,1	M22
UCP316	80	106	400	300	110	27	40	40	210	86	34	M22
UCP217	85	95,2	310	247	83	25	28	32	185	85,7	34,1	M20
UCPX17	85	101,6	381	283	102	27	30	40	200	96	39,7	M22
UCP317	85	112	420	320	110	33	45	40	220	96	40	M27
UCP218	90	101,6	327	262	88	27	30	33	198	96	39,7	M22
UCP318	90	118	430	330	110	33	45	45	235	96	40	M27
UCP319	95	125	470	360	120	36	50	45	250	103	41	M30





Unit No.	d	A	E	C	G	L	S	Z	B	F	bolt size
UCF201	12	86	64	15	12	25,5	12	33,3	31	12,7	M10
UCF202	15	86	64	15	12	25,5	12	33,3	31	12,7	M10
UCF203	17	86	64	15	12	25,5	12	33,3	31	12,7	M10
UCF204	20	86	64	15	12	25,5	12	33,3	31	12,7	M10
UCF205	25	95	70	16	14	27	12	35,8	34,1	14,3	M10
UCFX05	25	108	83	18	13	30	12	40,2	38,1	15,9	M10
UCF305	25	110	80	16	13	29	16	39	38	15	M14
UCF206	30	108	83	18	14	31	12	40,2	38,1	15,9	M10
UCFX06	30	117	92	19	14	34	16	44,4	42,9	17,5	M14
UCF306	30	125	95	18	15	32	16	44	43	17	M14
UCF207	35	117	92	19	16	34	14	44,4	42,9	17,5	M12
UCFX07	35	130	102	21	14	38	16	51,2	49,2	19	M14
UCF307	35	135	100	20	16	36	19	49	48	19	M16
UCF208	40	130	102	21	16	36	16	51,2	49,2	19	M14
UCFX08	40	137	105	22	14	40	19	52,2	49,2	19	M16
UCF308	40	150	112	23	17	40	19	56	52	19	M16
UCF209	45	137	105	22	18	38	16	52,2	49,2	19	M14
UCFX09	45	143	111	23	14	40	19	55,6	51,6	19	M16
UCF309	45	160	125	25	18	44	19	60	57	22	M16
UCF210	50	143	111	22	18	40	16	54,6	51,6	19	M14
UCFX10	50	162	130	26	20	44	19	59,4	55,6	22,2	M16
UCF310	50	175	132	28	19	48	23	67	61	22	M20
UCF211	55	162	130	25	20	43	19	58,4	55,6	22,2	M16
UCFX11	55	175	143	29	20	49	19	68,7	65,1	25,4	M16
UCF311	55	185	140	30	20	52	23	71	66	25	M20
UCF212	60	175	143	29	20	48	19	68,7	65,1	25,4	M16
UCFX12	60	187	149	34	21	59	19	73,7	65,1	25,4	M16
UCF312	60	195	150	33	22	56	23	78	71	26	M20
UCF213	65	187	149	30	22	50	19	69,7	65,1	25,4	M16
UCFX13	65	187	149	34	21	59	19	78,4	74,6	30,2	M16
UCF313	65	208	166	33	22	58	23	78	75	30	M20
UCF214	70	193	152	31	22	54	19	75,4	74,6	30,2	M16
UCFX14	70	197	152	37	24	60	23	81,5	77,8	33,3	M20
UCF314	70	226	178	36	25	61	25	81	78	33	M22
UCF215	75	200	159	34	22	56	19	78,5	77,8	33,3	M16
UCFX15	75	197	152	40	24	68	23	89,3	82,6	33,3	M20
UCF315	75	236	184	39	25	66	25	89	82	32	M22
UCF216	80	208	165	34	22	58	23	83,3	82,6	33,3	M20
UCFX16	80	214	171	40	24	70	23	91,6	85,7	34,1	M20
UCF316	80	250	196	38	27	68	31	90	86	34	M27
UCF217	85	220	175	36	24	63	23	87,6	85,7	34,1	M20
UCFX17	85	214	171	40	24	70	23	96,3	96	39,7	M20
UCF317	85	260	204	44	27	74	31	100	96	40	M27
UCF218	90	235	187	40	24	68	23	96,3	96	39,7	M20
UCF318	90	280	216	44	30	76	35	100	96	40	M30
UCF319	95	290	228	59	30	94	35	121	103	41	M30





Unit No.	d	B	A	E	K	G	L	S	D	Z	F	bolt size
UCFL201	12	31	113	90	15	11	25,5	12	60	33,3	12,7	M10
UCFL202	15	31	113	90	15	11	25,5	12	60	33,3	12,7	M10
UCFL203	17	31	113	90	15	11	25,5	12	60	33,3	12,7	M10
UCFL204	20	31	113	90	15	11	25,5	12	60	33,3	12,7	M10
UCFL205	25	34,1	130	99	16	13	27	16	68	35,8	14,3	M14
UCFLX05	25	38,1	141	117	18	13	30	12	83	40,2	15,9	M10
UCFL305	25	38	150	113	16	13	29	19	80	39	15	M16
UCFL206	30	38,1	148	117	18	13	31	16	80	40,2	15,9	M14
UCFLX06	30	42,9	156	130	19	15	34	16	95	44,4	17,5	M14
UCFL306	30	43	180	134	18	15	32	23	90	44	17	M20
UCFL207	35	42,9	161	130	19	14	34	16	90	44,4	17,5	M14
UCFLX07	35	49,2	171	144	21	16	38	16	105	51,2	19	M14
UCFL307	35	48	185	141	20	16	36	23	100	49	19	M20
UCFL208	40	49,2	175	144	21	14	36	16	100	51,2	19	M14
UCFLX08	40	49,2	179	148	22	16	40	16	111	52,2	19	M14
UCFL308	40	52	200	158	23	17	40	23	112	56	19	M20
UCFL209	45	49,2	188	148	22	15	38	19	108	52,2	19	M16
UCFLX09	45	51,6	189	157	23	16	40	16	116	55,6	19	M14
UCFL309	45	57	230	177	25	18	44	25	125	60	22	M22
UCFL210	50	51,6	197	157	22	15	40	19	115	54,6	19	M16
UCFLX10	50	55,6	216	184	26	18	44	19	133	59,4	22,2	M16
UCFL310	50	61	240	187	28	19	48	25	140	67	22	M22
UCFL211	55	55,6	224	184	25	18	43	19	130	58,4	22,2	M16
UCFL311	55	66	250	198	30	20	52	25	150	71	25	M22
UCFL212	60	65,1	250	202	29	18	48	23	140	68,7	25,4	M20
UCFL312	60	71	270	212	33	22	56	31	160	78	26	M27
UCFL213	65	65,1	258	210	30	22	50	23	155	69,7	25,4	M20
UCFL313	65	75	295	240	33	25	58	31	175	78	30	M27
UCFL214	70	74,6	265	216	31	22	54	23	160	75,4	30,2	M20
UCFL314	70	78	315	250	36	28	61	35	185	81	33	M20
UCFL215	75	77,8	275	225	34	22	56	23	165	78,5	33,3	M20
UCFL315	75	82	320	260	39	30	66	35	195	89	32	M30
UCFL216	80	82,6	290	233	34	22	58	25	180	83,3	33,3	M22
UCFL316	80	86	355	285	38	32	68	38	210	90	34	M33
UCFL217	85	85,7	305	248	36	24	63	25	190	87,6	34,1	M22
UCFL317	85	96	370	300	44	32	74	38	220	100	40	M33
UCFL218	90	96	320	265	40	24	68	25	205	96,3	39,7	M22
UCFL318	90	96	385	315	44	36	76	38	235	100	40	M33
UCFL319	95	103	405	330	59	40	94	41	250	121	41	M36





Unit No.	d	A	P	E	C	S	J	K	G	D	Z	B	F	bolt size
UCFC201	12	100	78	55,1	10	12	5	7	20,5	62	28,3	31	12,7	M10
UCFC202	15	100	78	55,1	10	12	5	7	20,5	62	28,3	31	12,7	M10
UCFC203	17	100	78	55,1	10	12	5	7	20,5	62	28,3	31	12,7	M10
UCFC204	20	100	78	55,1	10	12	5	7	20,5	62	28,3	31	12,7	M10
UCFC205	25	115	90	63,6	10	12	6	7	21	70	29,8	34,1	14,3	M10
UCFCX05	25	111	92	65	10	9,5	6	9,5	24	76	32,2	38,1	15,9	M8
UCFC206	30	125	100	70,7	10	12	8	8	23	80	32,2	38,1	15,9	M10
UCFCX06	30	127	105	74,2	8	12	9,5	9,5	22,5	85	33,4	42,9	17,5	M10
UCFC207	35	135	110	77,8	11	14	8	9	26	90	36,4	42,9	17,5	M12
UCFCX07	35	133	111	78,5	9	12	11	11	26	92	39,2	49,2	19	M10
UCFC208	40	145	120	84,8	11	14	10	9	26	100	41,2	49,2	19	M12
UCFCX08	40	133	111	78,5	9	12	11	11	26	92	39,2	49,2	19	M10
UCFC209	45	160	132	93,3	10	16	12	14	26	105	40,2	49,2	19	M14
UCFCX09	45	155	130	91,9	8	14	12	11	25	108	40,6	51,6	19	M12
UCFC210	50	165	138	97,6	10	16	12	14	28	110	42,6	51,6	19	M14
UCFCX10	50	162	136	96,2	7	14	16	11	25	118	40,4	55,6	22,2	M12
UCFC211	55	185	150	106,1	13	19	12	15	31	125	46,4	55,6	22,2	M16
UCFCX11	55	180	152	107,5	4	16	22	13	26	127	43,7	65,1	25,4	M14
UCFC212	60	195	160	113,1	17	19	12	15	36	135	56,7	65,1	25,4	M16
UCFCX12	60	194	165	116,7	11	16	20	14	33	140	50,7	65,1	25,4	M14
UCFC213	65	205	170	120,2	16	19	14	15	36	145	55,7	65,1	25,4	M16
UCFCX13	65	194	165	116,7	11	16	20	14	33	140	55,4	74,6	30,2	M14
UCFC214	70	215	177	125,1	17	19	14	18	40	150	61,4	74,6	30,2	M16
UCFCX14	70	222	190	134,3	14	19	20	14	36	164	58,5	77,8	33,3	M16
UCFC215	75	220	184	130,1	18	19	16	18	40	160	62,5	77,8	33,3	M16
UCFCX15	75	222	190	134,3	12	19	22	16	35	164	61,3	82,6	33,3	M16
UCFC216	80	240	200	141,4	18	23	16	18	42	170	67,3	82,6	33,3	M20
UCFCX16	80	260	219	154,8	10	23	25	19	36	186	61,6	85,7	34,1	M20
UCFC217	85	250	208	147,1	18	23	18	20	45	180	69,6	85,7	34,1	M20
UCFCX17	85	260	219	154,8	10	23	25	19	36	186	66,3	96	39,7	M20
UCFC218	90	265	220	155,5	22	23	18	20	50	190	78,3	96	39,7	M20





Unit No.	d	R	G	P	Q	S	H2	K	E	A	H	J	L	H1	B	F
UCT201	12	16	10	51	32	19	51	12	76	89	94	32	24	61	31	12,7
UCT202	15	16	10	51	32	19	51	12	76	89	94	32	24	61	31	12,7
UCT203	17	16	10	51	32	19	51	12	76	89	94	32	24	61	31	12,7
UCT204	20	16	10	51	32	19	51	12	76	89	94	32	24	61	31	12,7
UCT205	25	16	10	51	32	19	51	12	76	89	97	32	24	62	34,1	14,3
UCTX05	25	16	12	56	37	22	57	12	89	102	113	37	28	70	38,1	15,9
UCT305	25	16	14	62	36	26	65	12	80	89	122	36	26	76	38	15
UCT206	30	16	10	56	37	22	57	12	89	102	113	37	28	70	38,1	15,9
UCTX06	30	16	15	64	37	22	64	12	89	102	129	37	30	78	42,9	17,5
UCT306	30	18	16	70	41	28	74	16	90	100	137	41	28	85	43	17
UCT207	35	16	13	64	37	22	64	12	89	102	129	37	30	78	42,9	17,5
UCTX07	35	19	17	83	49	29	83	16	102	114	144	49	36	88	49,2	19
UCT307	35	20	17	75	45	30	80	16	100	111	150	45	32	94	48	19
UCT208	40	19	16	83	49	29	83	16	102	114	144	49	35	89	49,2	19
UCTX08	40	19	17	83	49	29	83	16	102	117	144	49	36	87	49,2	19
UCT308	40	22	19	83	50	32	89	18	112	124	162	50	34	100	52	19
UCT209	45	19	16	83	49	29	83	16	102	117	144	49	35	87	49,2	19
UCTX09	45	19	18	83	49	29	86	16	102	117	151	49	38	92	51,6	19
UCT309	45	24	20	90	55	34	97	18	125	138	178	55	38	110	57	22
UCT210	50	19	16	83	49	29	86	16	102	117	149	49	35	90	51,6	19
UCTX10	50	25	21	102	64	35	95	22	130	146	171	64	42	106	55,6	22,2
UCT310	50	27	22	98	61	37	106	20	140	151	192	61	40	118	61	22
UCT211	55	25	19	102	64	35	95	22	130	146	171	64	41	106	55,6	22,2
UCTX11	55	32	21	102	64	35	102	22	130	146	194	64	44	119	65,1	25,4
UCT311	55	29	23	105	66	39	115	22	150	163	207	66	44	127	66	25
UCT212	60	32	19	102	64	35	102	22	130	146	194	64	46	119	65,1	25,4
UCTX12	60	32	23	111	70	41	121	26	151	167	224	70	48	137	65,1	25,4
UCT312	60	31	25	113	71	41	123	22	160	178	220	71	46	135	71	26
UCT213	65	32	21	111	70	41	121	26	151	167	224	70	51	137	65,1	25,4
UCTX13	65	32	23	111	70	41	121	26	151	167	224	70	48	137	74,6	30,2
UCT313	65	32	27	116	70	43	134	26	170	190	238	80	50	146	75	30
UCT214	70	32	21	111	70	41	121	26	151	167	224	70	46	137	74,6	30,2
UCTX14	70	32	23	111	70	41	121	26	151	167	232	70	48	140	77,8	33,3
UCT314	70	36	27	130	85	46	140	26	180	202	252	90	52	155	78	33
UCT215	75	32	21	111	70	41	121	26	151	167	232	70	48	140	77,8	33,3
UCTX15	75	32	23	111	70	41	121	28	165	184	235	70	48	140	82,6	33,3
UCT315	75	36	27	132	85	46	150	26	192	216	262	90	55	160	82	32
UCT216	80	32	21	111	70	41	121	26	165	184	235	70	51	140	82,6	33,3
UCTX16	80	38	30	124	73	48	157	28	173	198	260	73	54	162	85,7	34,1
UCT316	80	42	30	150	98	53	160	30	204	230	282	102	60	174	86	34
UCT217	85	38	29	124	73	48	157	30	173	198	260	73	54	162	85,7	34,1
UCTX17	85	38	30	124	73	48	157	28	173	198	260	73	54	162	96	39,7
UCT317	85	42	32	152	98	53	170	32	214	240	298	102	64	183	96	40
UCT318	90	46	32	160	106	57	175	32	228	255	312	110	66	192	96	40
UCT319	95	46	33	165	103	57	180	35	240	270	322	110	72	197	103	41





Unit No.	d	H1	A	E	P	bolt size	H3	H2	H	B	F	bolt size
UCPA201	12	30,2	76	52	40	M10	15	11	62	31	12,7	M10
UCPA202	15	30,2	76	52	40	M10	15	11	62	31	12,7	M10
UCPA203	17	30,2	76	52	40	M10	15	11	62	31	12,7	M10
UCPA204	20	30,2	76	52	40	M10	15	11	62	31	12,7	M10
UCPA205	25	36,5	84	56	38	M10	15	12	72	34,1	14,3	M10
UCPA206	30	42,9	94	66	50	M14	18	12	84	38,1	15,9	M14
UCPA207	35	47,6	110	80	55	M14	20	13	95	42,9	17,5	M14
UCPA208	40	49,2	116	84	58	M14	20	13	100	49,2	19	M14
UCPA209	45	54,2	120	90	60	M14	25	13	108	49,2	19	M14
UCPA210	50	57,2	130	94	64	M16	25	14	116	51,6	19	M16
UCPA211	55	63,5	140	104	66	M16	25	14	125	55,6	22,2	M16
UCPA212	60	69,9	150	114	68	M16	25	15	138	65,1	25,4	M16
UCPA213	65	76,2	160	124	70	M16	25	15	150	65,1	25,4	M16





Unit No.	d	H1	A	E	P	S1	S2	G	H	B	bolt size
UKP205	20	36,5	140	105	38	13	19	15	71	35	M10
UKP206	25	42,9	165	121	48	17	20	17	84	38	M14
UKP207	30	47,6	167	127	48	17	20	18	93	43	M14
UKP208	35	49,2	184	137	54	17	20	18	100	46	M14
UKP209	40	54	190	146	54	17	20	20	106	50	M14
UKP210	45	57,2	206	159	60	20	23	21	113	55	M16
UKP211	50	63,5	219	171	60	20	23	23	125	59	M16
UKP212	55	69,8	241	184	70	20	23	25	138	62	M16
UKP213	60	76,2	265	203	70	25	28	27	150	65	M20
UKP215	65	82,6	275	217	74	25	28	28	162	73	M20
UKP216	70	88,9	292	232	78	25	28	30	174	78	M20
UKP217	75	95,2	310	247	83	25	28	32	185	82	M20
UKP218	80	101,6	327	262	88	27	30	33	198	86	M22





Unit No.	d	A	E	F	G	L	S	Z	B	bolt size
UKF205	20	95	70	16	14	27	12	35,5	35	M10
UKF206	25	108	83	18	14	31	12	39	38	M10
UKF207	30	117	92	19	16	34	14	42,5	43	M12
UKF208	35	130	102	21	16	36	16	46,5	46	M14
UKF209	40	137	105	22	18	38	16	48,5	50	M14
UKF210	45	143	111	22	18	40	16	50	55	M14
UKF211	50	162	130	25	20	43	19	54,5	59	M16
UKF212	55	175	143	29	20	48	19	61	62	M16
UKF213	60	187	149	30	22	50	19	64	65	M16
UKF215	65	200	159	34	22	56	19	71	73	M16
UKF216	70	208	165	34	22	58	23	73,5	78	M20
UKF217	75	220	175	36	24	63	23	77	82	M20
UKF218	80	235	187	40	24	68	23	81,5	86	M20





Unit No.	d	A	E	F	G	L	S	D	Z	B	bolt size
UKFL205	20	130	99	16	13	27	16	68	35,5	35	M14
UKFL206	25	148	117	18	13	31	16	80	39	38	M14
UKFL207	30	161	130	19	14	34	16	90	42,5	43	M14
UKFL208	35	175	144	21	14	36	16	100	46,5	46	M14
UKFL209	40	188	148	22	15	38	19	108	48,5	50	M16
UKFL210	45	197	157	22	15	40	19	115	50	55	M16
UKFL211	50	224	184	25	18	43	19	130	54,5	59	M16
UKFL212	55	250	202	29	18	48	23	140	61	62	M20
UKFL213	60	258	210	30	22	50	23	155	64	65	M20
UKFL215	65	275	225	34	22	56	23	165	71	73	M20
UKFL216	70	290	233	34	22	58	25	180	73,5	78	M22
UKFL217	75	305	248	36	24	63	25	190	77	82	M22
UKFL218	80	320	265	40	24	68	25	205	81,5	86	M22



Unit No.	d	A	P	E	F	S	J	K	G	D	Z	B	bolt size
UKFC205	20	115	90	63,6	10	12	6	7	21	70	29,5	35	M10
UKFC206	25	125	100	70,7	10	12	8	8	23	80	31	38	M10
UKFC207	30	135	110	77,8	11	14	8	9	26	90	33,5	43	M12
UKFC208	35	145	120	84,8	11	14	10	9	26	100	35,5	46	M12
UKFC209	40	160	132	93,3	10	16	12	14	26	105	36	50	M14
UKFC210	45	165	138	97,6	10	16	12	14	28	110	37,5	55	M14
UKFC211	50	185	150	106,1	13	19	12	15	31	125	41,5	59	M16
UKFC212	55	195	160	113,1	17	19	12	15	36	135	48	62	M16
UKFC213	60	205	170	120,2	16	19	14	15	36	145	49	65	M16
UKFC215	65	220	184	130,1	18	19	16	18	40	160	53,5	73	M16
UKFC216	70	240	200	141,4	18	23	16	18	42	170	57	78	M20
UKFC217	75	250	208	147,1	18	23	18	20	45	180	59	82	M20
UKFC218	80	265	220	155,5	22	23	18	20	50	190	64,5	86	M20



Unit No.	d	B	A	P	E	H	H1	H2	G	K	L	R	Q	J	S
UKT205	20	35	89	51	76	97	62	51	10	12	24	16	32	32	19
UKT206	25	38	102	56	89	113	70	57	10	12	28	16	37	37	22
UKT207	30	43	102	64	89	129	78	64	13	12	30	16	37	37	22
UKT208	35	46	114	83	102	144	89	83	16	16	35	19	49	49	29
UKT209	40	50	117	83	102	144	87	83	16	16	35	19	49	49	29
UKT210	45	55	117	83	102	149	90	86	16	16	35	19	49	49	29
UKT211	50	59	146	102	130	171	106	95	19	22	41	25	64	64	35
UKT212	55	62	146	102	130	194	119	102	19	22	46	32	64	64	35
UKT213	60	65	167	111	151	224	137	121	21	26	51	32	70	70	41
UKT215	65	73	167	111	151	232	140	121	21	26	48	32	70	70	41
UKT216	70	78	184	111	165	235	140	121	21	26	51	32	70	70	41
UKT217	75	82	198	124	173	260	162	157	29	30	54	38	73	73	48





ISO	d	D	B	b	G	F	A	L	H	E	bolt size	u	v	S
SN505	20	52	165	46	22	25	40	67	75	130	M8	15	20	M12
SN605	20	62	185	52	22	34	50	80	90	150	M8	16	20	M12
SN506	25	62	185	52	22	30	50	77	90	150	M8	15	20	M12
SN606	25	72	185	52	22	37	50	82	95	150	M10	16	20	M12
SN507	30	72	185	52	22	33	50	82	95	150	M10	15	20	M12
SN607	30	80	205	60	25	41	60	90	110	170	M10	16	20	M12
SN508	35	80	205	60	25	33	60	85	110	170	M10	15	20	M12
SN608	35	90	205	60	25	43	60	95	115	170	M10	15	24	M12
SN509	40	85	205	60	25	31	60	85	112	170	M10	15	20	M12
SN609	40	100	255	70	28	46	70	105	130	210	M12	19	25	M16
SN510	45	90	205	60	25	33	60	90	115	170	M10	15	20	M12
SN610	45	110	255	70	30	50	70	115	135	210	M12	18	23	M16
SN511	50	100	255	70	28	33	70	95	130	210	M12	18	23	M16
SN611	50	120	275	80	30	53	80	120	150	230	M12	20	28	M16
SN512	55	110	255	70	30	38	70	105	135	210	M12	18	23	M16
SN612	55	130	280	80	30	56	80	125	155	230	M12	20	28	M16
SN513	60	120	275	80	30	43	80	110	150	230	M12	18	23	M16
SN613	60	140	315	90	32	58	95	130	175	260	M16	22	30	M20
SN515	65	130	280	80	30	41	80	115	155	230	M12	18	23	M16
SN615	65	160	345	100	35	65	100	140	195	290	M16	23	28	M20
SN516	70	140	315	90	32	43	95	120	175	260	M16	22	27	M20
SN616	70	170	345	100	35	68	112	145	212	290	M16	23	30	M20
SN517	75	150	320	90	32	46	95	125	185	260	M16	22	27	M20
SN617	75	180	380	110	40	70	112	155	218	320	M20	26	35	M24
SN518	80	160	345	100	35	62,4	100	145	195	290	M16	22	27	M20
SN618	80	190	400	110	33	74	112	160	230	320	M20	27	38	M24
SN519	85	170	345	100	35	53	112	140	210	290	M16	22	28	M20
SN619	85	200	420	120	36	77	125	170	245	350	M20	28	36	M24
SN520	90	180	380	110	40	70,3	112	160	218	320	M20	26	32	M24
SN620	90	215	420	120	38	83	140	175	280	350	M20	27	33	M24
SN522	100	200	410	120	45	80	125	175	240	350	M20	26	32	M24
SN622	100	240	460	130	40	90	150	190	300	390	M20	28	32	M24
SN524	110	215	410	120	45	86	140	185	270	350	M20	26	34	M24
SN624	110	260	540	160	50	96	160	205	325	450	M24	34	42	M30
SN526	115	230	445	130	50	90	150	190	290	380	M24	28	35	M24
SN626	115	280	560	160	50	103	170	215	350	470	M24	34	42	M30
SN528	125	250	500	150	50	98	150	205	305	420	M24	34	44	M30
SN628	125	300	630	170	55	112	180	235	375	520	M30	34	46	M30
SN530	135	270	530	160	60	106	160	220	325	450	M24	34	42	M30
SN630	135	320	680	180	55	118	190	245	395	560	M30	38	44	M30
SN532	140	290	550	160	60	114	170	235	345	470	M24	32	44	M30
SN632	140	340	710	190	60	124	200	255	415	580	M30	40	52	M36



Split bearing housings for SELF-ALIGNING BEARINGS-- type SN								
Unit no	bearing	sleeve	retainer ring		bearing	sleeve	retainer ring	
			PU	pcs			PU	pcs
SN505	1205 K	H205	52X5	2	2205 K	H305	52X7	1
SN605	1305 K	H305	62X8,5	2	2305 K	H2305	62X10	1
SN506	1206 K	H206	62X7	2	2206 K	H606	62X10	1
SN606	1306 K	H306	72X9	2	2306 K	H2306	72X10	1
SN507	1207 K	H207	72X8	2	2207 K	H307	72X10	1
SN607	1307 K	H307	80X10	2	2307 K	H2307	80X10	1
SN508	1208 K	H208	80X7,5	2	2208 K	H308	80X10	1
SN608	1308 K	H308	90X10	2	2308 K	H2308	90X10	1
SN509	1209 K	H209	85X6	2	2209 K	H309	85X8	1
SN609	1309 K	H309	100X10,	2	2309 K	H2309	100X10,	1
SN510	1210 K	H210	90X6,5	2	2210 K	H310	90X10	1
SN610	1310 K	H310	100X11,	2	2310 K	H2310	110X10	1
SN511	1211 K	H211	100X6	2	2211 K	H311	100X8	1
SN611	1311 K	H311	120X12	2	2311 K	H2311	120X10	1
SN512	1212 K	H212	110X8	2	2212 K	H312	110X10	1
SN612	1312 K	H312	130X12,	2	2312 K	H2312	130X10	1
SN513	1213 K	H213	120X10	2	2213 K	H313	120X12	1
SN613	1313 K	H313	140X12,	2	2313 K	H2313	140X10	1
SN515	1215 K	H215	130X8	2	2215 K	H315	130X10	1
SN615	1315 K	H315	160X14	2	2315 K	H2315	160X10	1
SN516	1216 K	H216	140X8,5	2	2216 K	H316	140X10	1
SN616	1316 K	H316	170X14,	2	2316 K	H2316	170X10	1
SN517	1217 K	H217	150X9	2	2217 K	H317	150X10	1
SN617	1317 K	H317	180X14,	2	2317 K	H2317	180X10	1
SN518	1218 K	H218	160X16,	2	2218 K	H318	160X11,	2
SN618	1318 K	H318	190X15,	2	2318 K	H2318	190X10	1
SN519	1219 K	H219	170X10,	2	-	-	-	-
SN619	1319 K	H319	200X16	2	2319 K	H2319	100X10	1
SN520	2220 K	H320	180X12,	2	-	-	-	-
SN620	1320 K	H320	215X18	2	2320 K	H2320	215X10	1
SN522	2222 K	H322	200X13,	2	-	-	-	-
SN622	1322 K	H322	240X20	2	2322 K	H2322	240X10	1
SN524	-	-	-	-	-	-	-	-
SN624	-	-	-	-	-	-	-	-
SN526	-	-	-	-	-	-	-	-
SN626	-	-	-	-	-	-	-	-
SN528	-	-	-	-	-	-	-	-
SN628	-	-	-	-	-	-	-	-
SN530	-	-	-	-	-	-	-	-
SN630	-	-	-	-	-	-	-	-
SN532	-	-	-	-	-	-	-	-
SN632	-	-	-	-	-	-	-	-



Split bearing housings for Spherical roller bearings-- type SN								
Unit no	bearing	sleeve	retainer ring		bearing	sleeve	retainer ring	
			PU	pcs			PU	pcs
SN505	22205 K	H305	52X7	1	-	-	-	-
SN605	-	-	-	-	-	-	-	-
SN506	22206 K	H606	62X10	1	-	-	-	-
SN606	-	-	-	-	-	-	-	-
SN507	22207 K	H307	72X10	1	-	-	-	-
SN607	-	-	-	-	-	-	-	-
SN508	22208 K	H308	80X10	1	-	-	-	-
SN608	21308 K	H308	90X10	2	22308 K	H2308	90X10	1
SN509	22209 K	H309	85X8	1	-	-	-	-
SN609	21309 K	H309	100X10,	2	22309 K	H2309	100X10,	1
SN510	22210 K	H310	90X10	1	-	-	-	-
SN610	21310 K	H310	100X11,	2	22310 K	H2310	110X10	1
SN511	22211 K	H311	100X8	1	-	-	-	-
SN611	21311 K	H311	120X12	2	22311 K	H2311	120X10	1
SN512	22212 K	H312	110X10	1	-	-	-	-
SN612	21312 K	H312	130X12,	2	22312 K	H2312	130X10	1
SN513	22213 K	H313	120X12	1	-	-	-	-
SN613	21313 K	H313	140X12,	2	22313 K	H2313	140X10	1
SN515	22215 K	H315	130X10	1	-	-	-	-
SN615	21315 K	H315	160X14	2	22315 K	H2315	160X10	1
SN516	22205 K	H316	140X10	1	-	-	-	-
SN616	21316 K	H316	170X14,	2	22316 K	H2316	170X10	1
SN517	22205 K	H317	150X10	1	-	-	-	-
SN617	21317 K	H317	180X14,	2	22317 K	H2317	180X10	1
SN518	22218 K	H318	160X11,	2	-	-	-	-
SN618	22318 K	H2318	190X10	1	-	-	-	-
SN519	22219 K	H319	170X10	1	-	-	-	-
SN619	22319 K	H2319	100X10	1	-	-	-	-
SN520	22220 K	H320	180X12,	2	23220 K	H2320	180X10	1
SN620	22320 K	H2320	215X10	1	-	-	-	-
SN522	22222 K	H322	200X13,	2	23222 K	H2322	200X10	1
SN622	22322 K	H2322	240X10	1	-	-	-	-
SN524	22224 K	H3124	215X14	2	23224 K	H2324	215X10	1
SN624	22324 K	H2324	260X10	1	-	-	-	-
SN526	22226 K	H3126	230X13	2	23226 K	H2326	230X10	1
SN626	22326 K	H2326	280X10	1	-	-	-	-
SN528	22228 K	H3128	250X15	2	23228 K	H2328	250X10	1
SN628	22328 K	H2328	300X10	1	-	-	-	-
SN530	22230 K	H3130	270X16,	2	23230 K	H2330	270X10	1
SN630	22330 K	H2330	320X10	1	-	-	-	-
SN532	22232 K	H3132	290X17	2	23232 K	H2332	290X10	1
SN632	22322 K	H2332	340X10	1	-	-	-	-



Unit No.	d	L	B1	f	F	D	d2	d3	H	A	G	E	B	v	u	S
SNU505	20	67	46	5	25	52	31,5	39,5	72	40	19	130	165	20	13	10
SNU605	20	77	52	5	32	62	36,5	44,5	87	50	22	150	185	22	13	10
SNU506	25	77	52	5	32	62	36,5	44,5	87	50	22	150	185	22	13	10
SNU606	25	82	52	5	34	72	46,5	54,5	92	50	22	150	185	20	13	10
SNU507	30	82	52	5	34	72	46,5	54,5	92	50	22	150	185	20	13	10
SNU607	30	85	60	5	39	80	51,5	59,5	106	60	25	170	205	20	15	12
SNU508	35	85	60	5	39	80	51,5	59,5	106	60	25	170	205	20	15	12
SNU608	35	90	60	5	41	90	62	70,5	112	60	25	170	205	20	15	12
SNU509	40	85	60	5	30	85	56,5	64,5	108	60	25	170	205	20	15	12
SNU609	40	95	70	5	44	100	67	75,5	126	70	28	210	255	23	18	16
SNU510	45	90	60	5	41	90	62	70,5	112	60	25	170	205	20	15	12
SNU610	45	105	70	5	48	110	72	80,5	132	70	30	210	255	23	18	16
SNU511	50	95	70	5	44	100	67	75,5	126	70	28	210	255	23	18	16
SNU611	50	110	80	5	51	120	77	85,5	147	80	30	230	275	24	18	16
SNU512	55	105	70	5	48	110	72	80,5	132	70	30	210	255	23	18	16
SNU612	55	115	80	5	56	130	87	95,5	153	80	30	230	280	26	18	16
SNU513	60	110	80	5	51	120	77	85,5	147	80	30	230	275	24	18	16
SNU613	60	120	90	5	58	140	92,5	101	174	95	32	260	315	29	22	20
SNU515	65	115	80	5	56	130	87	95,5	153	80	30	230	280	26	18	16
SNU615	65	140	100	5	65	160	105	111	190	100	35	290	345	27	22	20
SNU516	70	120	90	5	58	140	92,5	101	174	95	32	260	315	29	22	20
SNU616	70	145	100	6	68	170	131	141	208,5	112	35	290	345	27	22	20
SNU517	75	125	90	5	61	150	97,5	106	180	95	32	260	320	30	22	20
SNU617	75	160	110	6	70	180	137,5	147,5	214,5	112	40	320	380	32	26	24
SNU518	80	140	100	5	65	160	105	111	190	100	35	290	345	27	22	20
SNU519	85	145	100	6	68	170	131	141	208,5	112	35	290	345	27	22	20
SNU619	85	175	120	6	80	200	147,5	157,5	238,5	125	45	350	410	32	26	24
SNU520	90	160	110	6	70	180	137,5	147,5	214,5	112	40	320	380	32	26	24
SNU620	90	185	120	6	86	215	157,5	167,5	271	140	45	350	410	32	26	24
SNU522	100	175	120	6	80	200	147,5	157,5	238,5	125	45	350	410	32	26	24
SNU524	110	185	120	6	86	215	157,5	167,5	271	140	45	350	410	32	26	24
SNU526	115	190	130	6	90	230	167,5	177,5	290	150	50	380	445	35	28	24
SNU528	125	205	150	6	98	250	177,5	187,5	302	150	50	420	500	42	35	30
SNU530	135	220	160	6	106	270	192,5	202,5	323	160	60	450	530	42	25	30
SNU532	140	235	160	6	114	290	202,5	212,5	344	170	60	470	550	42	35	30



Split bearing housings for SELF-ALIGNING BEARINGS--type SNU										
Unit no	seal	closing gap	bearing	sleeve	retainer ring		bearing	sleeve	retainer ring	
					PU	pcs			PU	pcs
SNU505	U505	505A	1205 K	H205	52X10	1	2205 K	H305	52X7	1
SNU605	U605	506A	1305 K	H305	62X7,5	2	2305 K	H2305	62X8	1
SNU506	U506	506A	1206 K	H206	62X8	2	2206 K	H306	62X6	2
SNU606	U606	507A	1306 K	H306	72X7,5	2	2306 K	H2306	72X7,5	1
SNU507	U507	507A	1207 K	H207	72X8,5	2	2207 K	H307	72X5,5	2
SNU607	U607	508A	1307 K	H307	80X9	2	2307 K	H2307	80X8	1
SNU508	U508	508A	1208 K	H208	80X10,5	2	2208 K	H308	80X8	2
SNU608	U608	510A	1308 K	H308	90X9	2	2308 K	H2308	90X8	1
SNU509	U509	509A	1209 K	H209	85X5,5	2	2209 K	H309	85X7	1
SNU609	U609	511A	1309 K	H309	100X9,5	2	2309 K	H2309	100X8	1
SNU510	U510	510A	1210 K	H210	90X10,5	2	2210 K	H310	90X9	2
SNU610	U610	512A	1310 K	H310	110X10,	2	2310 K	H2310	110X8	1
SNU511	U511	511A	1211 K	H211	100X11,	2	2211 K	H311	100X9,5	2
SNU611	U611	513A	1311 K	H311	120X11	2	2311 K	H2311	120X8	1
SNU512	U512	512A	1212 K	H212	110X13	2	2212 K	H312	110X10	2
SNU612	U612	515A	1312 K	H312	130X12,	2	2312 K	H2312	130X10	1
SNU513	U513	513A	1213 K	H213	120X14	2	2213 K	H313	120X10	2
SNU613	U613	516A	1313 K	H313	140X12,	2	2313 K	H2313	140X10	1
SNU515	U515	515A	1215 K	H215	130X15,	2	2215 K	H315	130X12,	2
SNU615	U615	518A	1315 K	H315	160X14	2	2315 K	H2315	160X10	1
SNU516	U516	516A	1216 K	H216	140X16	2	2216 K	H316	140X12,	2
SNU616	U616	519A	1316 K	H316	170X14,	2	2316 K	H2316	170X10	1
SNU517	U517	517A	1217 K	H217	150X16,	2	2217 K	H317	150X12,	2
SNU617	U617	520A	1317 K	H317	180X14,	2	2317 K	H2317	180X10	1
SNU518	U518	518A	1218 K	H218	160X17,	2	2218 K	H318	160X12,	2
SNU519	U519	519A	1219 K	H219	170X18	2	2219 K	H319	170X12,	2
SNU619	U619	522A	-	-	-	-	-	-	-	-
SNU520	U520	520A	1220 K	H220	180X18	2	2220 K	H320	180X12	2
SNU620	U620	524A	-	-	-	-	-	-	-	-
SNU522	U522	522A	1222 K	H222	200X21	2	2222 K	H322	200X13,	2
SNU524	U524	524A	-	-	-	-	-	-	-	-
SNU526	U526	526A	-	-	-	-	-	-	-	-
SNU528	U528	528A	-	-	-	-	-	-	-	-
SNU530	U530	530A	-	-	-	-	-	-	-	-
SNU532	U532	532A	-	-	-	-	-	-	-	-



Split bearing housings for Spherical roller bearings-- type SNU								
Unit No.	bearing	sleeve	retainer ring		bearing	sleeve	retainer ring	
			PU	pcs			PU	pcs
SNU505	-	-	-	-	-	-	-	-
SNU605	-	-	-	-	-	-	-	-
SNU506	-	-	-	-	-	-	-	-
SNU606	-	-	-	-	-	-	-	-
SNU507	22207 K	H307	72X5,5	2	-	-	-	-
SNU607	-	-	-	-	-	-	-	-
SNU508	22208 K	H308	80X8	2	-	-	-	-
SNU608	21308 K	H308	90X9	2	22308 K	H2308	90X8	1
SNU509	22209 K	H309	85X7	1	-	-	-	-
SNU609	21309 K	H309	100X9,5	2	22309 K	H2309	100X8	1
SNU510	22210 K	H310	90X9	2	-	-	-	-
SNU610	21310 K	H310	110X10,	2	22310 K	H2310	110X8	1
SNU511	22211 K	H311	100X9,5	2	-	-	-	-
SNU611	21311 K	H311	120X11	2	22311 K	H2311	120X8	1
SNU512	22212 K	H312	110X10	2	-	-	-	-
SNU612	21312 K	H312	130X12,	2	22312 K	H2312	130X10	1
SNU513	22213 K	H313	120X10	2	-	-	-	-
SNU613	21313 K	H313	140X12,	2	22313 K	H2313	140X10	1
SNU515	22215 K	H315	130X12,	2	-	-	-	-
SNU615	21315 K	H315	160X14	2	22315 K	H2315	160X10	1
SNU516	22216 K	H316	140X12,	2	-	-	-	-
SNU616	21616 K	H316	170X14,	2	22316 K	H2316	170X10	1
SNU517	22217 K	H317	150X12,	2	-	-	-	-
SNU617	21717 K	H317	180X14,	2	22317 K	H2317	180X10	1
SNU518	22218 K	H318	160X12,	2	23218 K	H2318	160X12,	1
SNU519	22219 K	H319	170X12,	2	-	-	-	-
SNU619	22319 K	H2319	200X13	1	-	-	-	-
SNU520	22220 K	H320	180X12	2	23220 K	H2320	180X9,7	1
SNU620	22320 K	H2320	215X13	1	-	-	-	-
SNU522	22222 K	H322	200X13,	2	23222 K	H2322	200X10	1
SNU524	22224 K	H3124	215X14	2	23224 K	H2324	215X10	1
SNU526	22226 K	H3126	230X13	2	23226 K	H2326	230X10	1
SNU528	22228 K	H3128	250X15	2	23228 K	H2328	250X10	1
SNU530	22230 K	H3130	270X16,	2	23230 K	H2330	270X10	1
SNU532	22232 K	H3132	290X17	2	23232 K	H2332	290X10	1