



Bearing No.		Dimensions (mm)			Basic Load Rating (N)		Weight (kg)
ISO	GOST	d	D	B	Dyn. C	Stat. C0	
2S12	2S12	12	32	10	15470	77350	0.065
2S15	2S15	15	35	18	34510	172550	0.082
2S17	2S17	17	40	21	38080	190400	0.148
2S20	2S20	20	47	26	44625	223125	0.19
2SS12	2SS12	12	32	16	26520	132600	0.065
2SS15	2SS15	15	35	18	34510	172550	0.082
2SS17	2SS17	17	40	21	38080	190400	0.148
2SS20	2SS20	20	47	26	44625	223125	0.19
2SSL120	2SSL120	120	215	130	1576000	7880000	19.7
2SSL150	2SSL150	150	270	160	2361000	1180500	39.85
2SSL60	2SSL60	60	110	60	267000	1337000	2.184
2SSL70	2SSL70	70	125	70	314000	1571000	2.41
2SSL90	2SSL90	90	160	80	552500	2762500	6.1
6SSL60	6SSL60	60	130	85	684250	3421250	5.7
Bearing No.		Dimensions (mm)			Basic Load Rating (N)		Weight (kg)
ISO	GOST	d	D	B	Dyn. C	Stat. C0	
S10	S10	10	20	9	8160	40800	0.012
S12	S12	12	22	10	10710	53550	0.012
S15	S15	15	28	12	13685	68425	0.035
S17	S17	17	32	14	22100	110500	0.048
S20	S20	20	35	16	29580	147900	0.065
S25	S25	25	42	20	48280	241400	0.115
S30	S30	30	47	22	62271	311355	0.158
S35	S35	35	55	26	83895	419475	0.238
S40	S40	40	62	28	99110	495550	0.33
S45	S45	45	70	32	127500	637500	0.46
S5	S5	5	14	6	3400	17000	0.005
S50	S50	50	75	35	157080	785400	0.56
S55	S55	55	85	40	204000	1020000	0.88
S6	S6	6	14	6	3400	17000	0.005
S60	S60	60	90	44	244800	1224000	0.942
S8	S8	8	17	8	5525	27625	0.008



Bearing No.		Dimensions (mm)			Basic Load Rating (N)		Weight (kg)
ISO	GOST	d	D	B	Dyn. C	Stat. C0	
SS10	SS10	10	20	9	8160	40800	0.012
SS12	SS12	12	22	10	10710	53550	0.012
SS15	SS15	15	28	12	15640	78200	0.035
SS17	SS17	17	32	14	22100	110500	0.048
SS20	SS20	20	35	16	29580	147900	0.065
SS25	SS25	25	42	20	48280	241400	0.115
SS30	SS30	30	47	22	62271	311355	0.158
SS35	SS35	35	55	26	83895	419475	0.238
SS40	SS40	40	62	28	99110	495550	0.33
SS45	SS45	45	70	32	127500	637500	0.46
SS5	SS5	5	14	6	3400	17000	0.005
SS50	SS50	50	75	35	157080	785400	0.56
SS55	SS55	55	85	40	204000	1020000	0.88
SS6	SS6	6	14	6	3400	17000	0.005
SS60	SS60	60	90	44	244800	1224000	0.942
SS8	SS8	8	17	8	5525	27625	0.008
SS80	SS80	80	125	76	678300	3391500	3.78
Bearing No.		Dimensions (mm)			Basic Load Rating (N)		Weight (kg)
ISO	GOST	d	D	B	Dyn. C	Stat. C0	
SSL100	SSL100	100	150	70	607750	3038750	4.3
SSL110	SSL110	110	160	70	654500	3272500	4.7
SSL120	SSL120	120	180	85	952000	4760000	8.09
SSL130	SSL130	130	200	95	773500	3867500	8.93
SSL60	SSL60	60	90	44	244800	1224000	0.942
SSL70	SSL70	70	105	49	312800	1564000	1.56
SSL80	SSL80	80	125	76	678300	3391500	3.78
SSL90	SSL90	90	130	60	488750	2443750	2.79
Bearing No.		Dimensions (mm)			Basic Load Rating (N)		Weight (kg)
ISO	GOST	d	D	B	Dyn. C	Stat. C0	
SSP10	SSP10	10	20	9	8160	40800	0.012
SSP12	SSP12	12	22	10	10710	53550	0.012
SSP15	SSP15	15	28	12	15640	78200	0.035
SSP17	SSP17	17	32	14	22100	110500	0.048
SSP20	SSP20	20	35	16	29580	147900	0.065
SSP25	SSP25	25	42	20	48280	241400	0.115
SSP30	SSP30	30	47	22	62271	311355	0.158
SSP35	SSP35	35	55	26	83895	419475	0.238
SSP40	SSP40	40	62	28	99110	495550	0.33
SSP45	SSP45	45	70	32	127500	637500	0.46
SSP50	SSP50	50	75	35	157080	785400	0.56
SSP55	SSP55	55	85	40	204000	1020000	0.88
SSP6	SSP6	6	14	6	3400	17000	0.005
SSP8	SSP8	8	17	8	5525	27625	0.008



Bearing No.		Dimensions (mm)			Basic Load Rating (N)		Weight (kg)
ISO	GOST	d	D	B	Dyn. C	Stat. C0	
GE-100ES 2RS	GE-100ES 2RS	100	150	70	610000	3050000	4.3
GE-110ES 2RS	GE-110ES 2RS	110	160	70	655000	3250000	4.7
GE-120ES 2RS	GE-120ES 2RS	120	180	85	950000	4750000	8
GE-140ES 2RS	GE-140ES 2RS	140	210	90	1080000	5400000	11
GE-15ES 2RS	GE-15ES 2RS	15	26	12	17000	85000	0.025
GE-16ES 2RS	GE-16ES 2RS	16	30	14	21200	106000	0.041
GE-160ES 2RS	GE-160ES 2RS	160	230	105	1360000	6800000	14
GE-17ES 2RS	GE-17ES 2RS	17	30	14	21200	106000	0.041
GE-180ES 2RS	GE-180ES 2RS	180	260	105	1530000	7650000	18.5
GE-20ES 2RS	GE-20ES 2RS	20	35	16	30000	146000	0.061
GE-200ES 2RS	GE-200ES 2RS	200	290	130	2120000	10600000	28
GE-220ES 2RS	GE-220ES 2RS	220	320	135	2320000	11600000	35.51
GE-240ES 2RS	GE-240ES 2RS	240	340	140	2550000	12700000	39.91
GE-25ES 2RS	GE-25ES 2RS	25	42	20	48000	240000	0.11
GE-260ES 2RS	GE-260ES 2RS	260	370	150	3030000	15190000	51.54
GE-280ES 2RS	GE-280ES 2RS	280	400	155	3570000	17850000	65.06
GE-30ES 2RS	GE-30ES 2RS	30	47	22	62000	310000	0.14
GE-300ES 2RS	GE-300ES 2RS	300	430	165	3800000	19100000	78.07
GE-35ES 2RS	GE-35ES 2RS	35	55	25	80000	400000	0.22
GE-40ES 2RS	GE-40ES 2RS	40	62	28	100000	500000	0.3
GE-45ES 2RS	GE-45ES 2RS	45	68	32	127000	640000	0.41
GE-50ES 2RS	GE-50ES 2RS	50	75	35	156000	780000	0.53
GE-55ES 2RS	GE-55ES 2RS	55	85	40	200000	1000000	0.94
GE-60ES 2RS	GE-60ES 2RS	60	90	44	245000	1220000	1
GE-70ES 2RS	GE-70ES 2RS	70	105	49	315000	1560000	1.5
GE-80ES 2RS	GE-80ES 2RS	80	120	55	400000	2000000	2.2
GE-90ES 2RS	GE-90ES 2RS	90	130	60	490000	2450000	2.7
GE-100ES	GE-100ES	100	150	70	610000	3050000	4.3
GE-110ES	GE-110ES	110	160	70	655000	3250000	4.7
GE-120ES	GE-120ES	120	180	85	950000	4750000	8
GE-140ES	GE-140ES	140	210	90	1080000	5400000	11
GE-15ES	GE-15ES	15	26	12	17000	85000	0.025
GE-16ES	GE-16ES	16	30	14	21200	106000	0.041
GE-160ES	GE-160ES	160	230	105	1360000	6800000	14
GE-17ES	GE-17ES	17	30	14	21200	106000	0.041
GE-180ES	GE-180ES	180	260	105	1530000	7650000	18.5
GE-20ES	GE-20ES	20	35	16	30000	146000	0.061
GE-200ES	GE-200ES	200	290	130	2120000	10600000	28
GE-220ES	GE-220ES	220	320	135	2320000	11600000	35.51
GE-240ES	GE-240ES	240	340	140	2550000	12700000	39.91
GE-25ES	GE-25ES	25	42	20	48000	240000	0.11
GE-260ES	GE-260ES	260	370	150	3030000	15190000	51.54
GE-280ES	GE-280ES	280	400	155	3570000	17850000	65.06
GE-30ES	GE-30ES	30	47	22	62000	310000	0.14
GE-300ES	GE-300ES	300	430	165	3800000	19100000	78.07
GE-35ES	GE-35ES	35	55	25	80000	400000	0.22
GE-40ES	GE-40ES	40	62	28	100000	500000	0.3
GE-45ES	GE-45ES	45	68	32	127000	640000	0.41



GE-50ES	GE-50ES	50	75	35	156000	780000	0.53
GE-55ES	GE-55ES	55	85	40	200000	1000000	0.94
GE-60ES	GE-60ES	60	90	44	245000	1220000	1
GE-70ES	GE-70ES	70	105	49	315000	1560000	1.5
GE-80ES	GE-80ES	80	120	55	400000	2000000	2.2
GE-90ES	GE-90ES	90	130	60	490000	2450000	2.7
GE-10E	GE-10E	10	19	9	8150	40500	0.011
GE-12E	GE-12E	12	22	10	10800	54000	0.016
GE-5E	GE-5E	5	14	6	3400	17000	0.005
GE-6E	GE-6E	6	14	6	3400	17000	0.004
GE-8E	GE-8E	8	16	8	5500	27500	0.007
GSSL60	GSSL60	60	105	63	336000	1680000	2.082
GSSL70	GSSL70	70	120	70	435000	2173000	2.942