


| Bearing No. |      | Dimensions (mm) |     |    | Basic Load Rating (N) |          | Weight (kg) |
|-------------|------|-----------------|-----|----|-----------------------|----------|-------------|
| ISO         | GOST | d               | D   | B  | Dyn. C                | Stat. C0 |             |
| 30202       | 7202 | 15              | 35  | 11 | 12500                 | 11800    | 0.057       |
| 30203       | 7203 | 17              | 40  | 12 | 19000                 | 18600    | 0.075       |
| 30204       | 7204 | 20              | 47  | 14 | 27500                 | 28000    | 0.120       |
| 30205       | 7205 | 25              | 52  | 15 | 30800                 | 33500    | 0.150       |
| 30206       | 7206 | 30              | 62  | 16 | 40200                 | 44000    | 0.230       |
| 30207       | 7207 | 35              | 72  | 17 | 51200                 | 56000    | 0.320       |
| 30208       | 7208 | 40              | 80  | 18 | 61600                 | 68000    | 0.420       |
| 30209       | 7209 | 45              | 85  | 19 | 66000                 | 76500    | 0.480       |
| 30210       | 7210 | 50              | 90  | 20 | 76500                 | 91500    | 0.540       |
| 30211       | 7211 | 55              | 100 | 21 | 89700                 | 106000   | 0.700       |
| 30212       | 7212 | 60              | 110 | 22 | 99000                 | 114000   | 0.880       |
| 30213       | 7213 | 65              | 120 | 23 | 114000                | 134000   | 1.150       |
| 30214       | 7214 | 70              | 125 | 24 | 125000                | 156000   | 1.250       |
| 30215       | 7215 | 75              | 130 | 25 | 140000                | 176000   | 1.400       |
| 30216       | 7216 | 80              | 140 | 26 | 151000                | 183000   | 1.600       |
| 30217       | 7217 | 85              | 150 | 28 | 176000                | 220000   | 2.050       |
| 30218       | 7218 | 90              | 160 | 30 | 194000                | 245000   | 2.550       |
| 30219       | 7219 | 95              | 170 | 32 | 216000                | 275000   | 3.000       |
| 30220       | 7220 | 100             | 180 | 34 | 246000                | 320000   | 3.650       |
| 30221       | 7221 | 105             | 190 | 36 | 270000                | 355000   | 4.250       |
| 30222       | 7222 | 110             | 200 | 38 | 308000                | 405000   | 5.100       |
| 30224       | 7224 | 120             | 215 | 40 | 341000                | 465000   | 6.150       |
| 30226       | 7226 | 130             | 230 | 40 | 369000                | 490000   | 7.600       |
| 30228       | 7228 | 140             | 250 | 42 | 418000                | 570000   | 8.650       |
| 30230       | 7230 | 150             | 270 | 45 | 429000                | 590000   | 11.000      |
| 30232       | 7232 | 160             | 290 | 48 | 528000                | 735000   | 13.000      |
| 30234       | 7234 | 170             | 310 | 52 | 590000                | 810000   | 19.000      |
| 30236       | 7236 | 180             | 320 | 52 | 610000                | 850000   | 20.000      |
| 30238       | 7238 | 190             | 340 | 55 | 721000                | 1000000  | 24.000      |
| 30240       | 7240 | 200             | 360 | 58 | 792000                | 1120000  | 25.000      |



| Bearing No. |      | Dimensions (mm) |     |    | Basic Load Rating (N) |          | Weight (kg) |
|-------------|------|-----------------|-----|----|-----------------------|----------|-------------|
| ISO         | GOST | d               | D   | B  | Dyn. C                | Stat. C0 |             |
| 30302       | 7302 | 15              | 42  | 13 | 22400                 | 20000    | 0.095       |
| 30303       | 7303 | 17              | 47  | 14 | 28100                 | 25000    | 0.130       |
| 30304       | 7304 | 20              | 52  | 15 | 34100                 | 32500    | 0.170       |
| 30305       | 7305 | 25              | 62  | 17 | 44600                 | 43000    | 0.260       |
| 30306       | 7306 | 30              | 72  | 19 | 56100                 | 56000    | 0.390       |
| 30307       | 7307 | 35              | 80  | 21 | 72100                 | 73500    | 0.520       |
| 30308       | 7308 | 40              | 90  | 23 | 85800                 | 95000    | 0.720       |
| 30309       | 7309 | 45              | 100 | 25 | 108000                | 120000   | 0.970       |
| 30310       | 7310 | 50              | 110 | 27 | 125000                | 140000   | 1.250       |
| 30311       | 7311 | 55              | 120 | 29 | 142000                | 163000   | 1.550       |
| 30312       | 7312 | 60              | 130 | 31 | 168000                | 196000   | 1.950       |
| 30313       | 7313 | 65              | 140 | 33 | 194000                | 228000   | 2.400       |
| 30314       | 7314 | 70              | 150 | 35 | 220000                | 260000   | 2.900       |
| 30315       | 7315 | 75              | 160 | 37 | 246000                | 290000   | 3.450       |
| 30316       | 7316 | 80              | 170 | 39 | 270000                | 320000   | 4.100       |
| 30317       | 7317 | 85              | 180 | 41 | 303000                | 365000   | 4.850       |
| 30318       | 7318 | 90              | 190 | 43 | 330000                | 400000   | 5.650       |
| 30319       | 7319 | 95              | 200 | 45 | 360000                | 440000   | 6.700       |
| 30320       | 7320 | 100             | 215 | 47 | 402000                | 490000   | 8.050       |
| 30321       | 7321 | 105             | 225 | 49 | 429000                | 530000   | 9.150       |
| 30322       | 7322 | 110             | 240 | 50 | 473000                | 585000   | 11.000      |
| 30324       | 7324 | 120             | 260 | 55 | 561000                | 710000   | 14.000      |
| 30326       | 7326 | 130             | 280 | 58 | 639000                | 864000   | 17.100      |
| 30328       | 7328 | 140             | 300 | 62 | 721000                | 985000   | 21.700      |
| 30330       | 7330 | 150             | 320 | 65 | 825000                | 1060000  | 28.500      |
| 30332       | 7332 | 160             | 340 | 68 | 913000                | 1180000  | 29.000      |
| 30334       | 7334 | 170             | 360 | 72 | 1020000               | 1340000  | 35.000      |



| Bearing No. |       | Dimensions (mm) |     |    | Basic Load Rating (N) |          | Weight (kg) |
|-------------|-------|-----------------|-----|----|-----------------------|----------|-------------|
| ISO         | GOST  | d               | D   | B  | Dyn. C                | Stat. C0 |             |
| 31305       | 27305 | 25              | 62  | 17 | 38000                 | 40000    | 0.260       |
| 31306       | 27306 | 30              | 72  | 19 | 47300                 | 50000    | 0.390       |
| 31307       | 27307 | 35              | 80  | 21 | 61600                 | 67000    | 0.520       |
| 31308       | 27308 | 40              | 90  | 23 | 73700                 | 81500    | 0.720       |
| 31309       | 27309 | 45              | 100 | 25 | 91300                 | 102000   | 0.950       |
| 31310       | 27310 | 50              | 110 | 27 | 106000                | 120000   | 1.200       |
| 31311       | 27311 | 55              | 120 | 29 | 121000                | 137000   | 1.550       |
| 31312       | 27312 | 60              | 130 | 31 | 145000                | 166000   | 1.900       |
| 31313       | 27313 | 65              | 140 | 33 | 165000                | 193000   | 2.350       |
| 31314       | 27314 | 70              | 150 | 35 | 187000                | 220000   | 2.950       |
| 31315       | 27315 | 75              | 160 | 37 | 209000                | 245000   | 3.500       |
| 31316       | 27316 | 80              | 170 | 39 | 224000                | 265000   | 4.050       |
| 31317       | 27317 | 85              | 180 | 41 | 242000                | 285000   | 4.600       |
| 31318       | 27318 | 90              | 190 | 43 | 264000                | 315000   | 5.900       |
| 31319       | 27319 | 95              | 200 | 45 | 292000                | 355000   | 6.950       |
| 31320       | 27320 | 100             | 215 | 51 | 374000                | 465000   | 8.600       |
| 31321       | 27321 | 105             | 225 | 53 | 402000                | 500000   | 9.650       |
| 31322       | 27322 | 110             | 240 | 57 | 457000                | 585000   | 12.000      |
| 31324       | 27324 | 120             | 260 | 62 | 539000                | 695000   | 15.500      |
| 31326       | 27326 | 130             | 280 | 66 | 605000                | 780000   | 18.500      |
| 31328       | 27328 | 140             | 300 | 70 | 693000                | 900000   | 24.500      |
| 31330       | 27330 | 150             | 320 | 75 | 781000                | 1020000  | 29.500      |



| Bearing No. |         | Dimensions (mm) |     |     | Basic Load Rating (N) |          | Weight (kg) |
|-------------|---------|-----------------|-----|-----|-----------------------|----------|-------------|
| ISO         | GOST    | d               | D   | B   | Dyn. C                | Stat. C0 |             |
| 32004       | 2007104 | 20              | 42  | 15  | 24200                 | 27000    | 0.097       |
| 32005       | 2007105 | 25              | 47  | 15  | 27000                 | 32500    | 0.11        |
| 32006       | 2007106 | 30              | 55  | 17  | 35800                 | 44000    | 0.17        |
| 32007       | 2007107 | 35              | 62  | 18  | 42900                 | 54000    | 0.22        |
| 32008       | 2007108 | 40              | 68  | 19  | 52800                 | 71000    | 0.27        |
| 32009       | 2007109 | 45              | 75  | 20  | 58300                 | 80000    | 0.34        |
| 32010       | 2007110 | 50              | 80  | 20  | 60500                 | 88000    | 0.37        |
| 32011       | 2007111 | 55              | 90  | 23  | 80900                 | 116000   | 0.55        |
| 32012       | 2007112 | 60              | 95  | 23  | 82500                 | 122000   | 0.59        |
| 32013       | 2007113 | 65              | 100 | 23  | 84200                 | 127000   | 0.63        |
| 32014       | 2007114 | 70              | 110 | 25  | 101000                | 153000   | 0.84        |
| 32015       | 2007115 | 75              | 115 | 25  | 106000                | 163000   | 0.9         |
| 32016       | 2007116 | 80              | 125 | 29  | 138000                | 216000   | 1.3         |
| 32017       | 2007117 | 85              | 130 | 29  | 140000                | 224000   | 1.35        |
| 32018       | 2007118 | 90              | 140 | 32  | 168000                | 270000   | 1.75        |
| 32019       | 2007119 | 95              | 145 | 32  | 170000                | 275000   | 1.8         |
| 32020       | 2007120 | 100             | 150 | 32  | 172000                | 280000   | 1.9         |
| 32021       | 2007121 | 105             | 160 | 35  | 201000                | 335000   | 2.4         |
| 32022       | 2007122 | 110             | 170 | 38  | 233000                | 390000   | 3.05        |
| 32024       | 2007124 | 120             | 180 | 38  | 242000                | 415000   | 3.25        |
| 32026       | 2007126 | 130             | 200 | 45  | 314000                | 540000   | 4.95        |
| 32028       | 2007128 | 140             | 210 | 45  | 330000                | 585000   | 5.25        |
| 32030       | 2007130 | 150             | 225 | 48  | 369000                | 655000   | 6.35        |
| 32032       | 2007132 | 160             | 240 | 51  | 429000                | 780000   | 7.75        |
| 32034       | 2007134 | 170             | 260 | 57  | 512000                | 915000   | 10.5        |
| 32036       | 2007136 | 180             | 280 | 64  | 644000                | 1160000  | 14.5        |
| 32038       | 2007138 | 190             | 290 | 64  | 660000                | 1200000  | 15          |
| 32040       | 2007140 | 200             | 310 | 70  | 748000                | 1370000  | 19.5        |
| 32044       | 2007144 | 220             | 340 | 76  | 897000                | 1660000  | 25.5        |
| 32048       | 2007148 | 240             | 360 | 76  | 935000                | 1800000  | 27.5        |
| 32052       | 2007152 | 260             | 400 | 87  | 1120000               | 2170000  | 38          |
| 32056       | 2007156 | 280             | 420 | 87  | 1190000               | 2290000  | 40.2        |
| 32060       | 2007160 | 300             | 460 | 100 | 1520000               | 2940000  | 57.5        |
| 32064       | 2007164 | 320             | 480 | 100 | 1540000               | 3000000  | 60.6        |



| Bearing No. |      | Dimensions (mm) |     |     | Basic Load Rating (N) |          | Weight (kg) |
|-------------|------|-----------------|-----|-----|-----------------------|----------|-------------|
| ISO         | GOST | d               | D   | B   | Dyn. C                | Stat. C0 |             |
| 32203       | 7503 | 17              | 40  | 16  | 29000                 | 29500    | 0.102       |
| 32204       | 7504 | 20              | 47  | 18  | 33100                 | 34700    | 0.161       |
| 32205       | 7505 | 25              | 52  | 18  | 35800                 | 44000    | 0.19        |
| 32206       | 7506 | 30              | 62  | 20  | 50100                 | 57000    | 0.28        |
| 32207       | 7507 | 35              | 72  | 23  | 66000                 | 78000    | 0.43        |
| 32208       | 7508 | 40              | 80  | 23  | 74800                 | 86500    | 0.53        |
| 32209       | 7509 | 45              | 85  | 23  | 80900                 | 98000    | 0.58        |
| 32210       | 7510 | 50              | 90  | 23  | 82500                 | 100000   | 0.61        |
| 32211       | 7511 | 55              | 100 | 25  | 106000                | 129000   | 0.83        |
| 32212       | 7512 | 60              | 110 | 28  | 125000                | 160000   | 1.15        |
| 32213       | 7513 | 65              | 120 | 31  | 151000                | 193000   | 1.5         |
| 32214       | 7514 | 70              | 125 | 31  | 157000                | 208000   | 1.6         |
| 32215       | 7515 | 75              | 130 | 31  | 161000                | 212000   | 1.7         |
| 32216       | 7516 | 80              | 140 | 33  | 187000                | 245000   | 2.05        |
| 32217       | 7517 | 85              | 150 | 36  | 212000                | 285000   | 2.6         |
| 32218       | 7518 | 90              | 160 | 40  | 251000                | 340000   | 3.35        |
| 32219       | 7519 | 95              | 170 | 43  | 281000                | 390000   | 4.05        |
| 32220       | 7520 | 100             | 180 | 46  | 319000                | 440000   | 4.9         |
| 32221       | 7521 | 105             | 190 | 50  | 358000                | 510000   | 6           |
| 32222       | 7522 | 110             | 200 | 53  | 402000                | 570000   | 7.1         |
| 32224       | 7524 | 120             | 215 | 58  | 468000                | 695000   | 9.15        |
| 32226       | 7526 | 130             | 230 | 64  | 550000                | 830000   | 11.5        |
| 32228       | 7528 | 140             | 250 | 68  | 644000                | 1000000  | 14.5        |
| 32230       | 7530 | 150             | 270 | 73  | 737000                | 1140000  | 17.5        |
| 32232       | 7532 | 160             | 290 | 80  | 880000                | 1400000  | 25.5        |
| 32234       | 7534 | 170             | 310 | 86  | 980000                | 1560000  | 28.5        |
| 32236       | 7536 | 180             | 320 | 86  | 1010000               | 1640000  | 29.8        |
| 32238       | 7538 | 190             | 340 | 92  | 1110000               | 1920000  | 36          |
| 32240       | 7540 | 200             | 360 | 98  | 1210000               | 2000000  | 42.7        |
| 32244       | 7544 | 220             | 400 | 108 | 1530000               | 2560000  | 58.3        |



| Bearing No. |      | Dimensions (mm) |     |     | Basic Load Rating (N) |          | Weight (kg) |
|-------------|------|-----------------|-----|-----|-----------------------|----------|-------------|
| ISO         | GOST | d               | D   | B   | Dyn. C                | Stat. C0 |             |
| 32303       | 7603 | 17              | 47  | 19  | 34700                 | 33500    | 0.17        |
| 32304       | 7604 | 20              | 52  | 21  | 44000                 | 45500    | 0.23        |
| 32305       | 7605 | 25              | 62  | 24  | 60500                 | 63000    | 0.36        |
| 32306       | 7606 | 30              | 72  | 27  | 76500                 | 85000    | 0.55        |
| 32307       | 7607 | 35              | 80  | 31  | 95200                 | 106000   | 0.73        |
| 32308       | 7608 | 40              | 90  | 33  | 117000                | 140000   | 1           |
| 32309       | 7609 | 45              | 100 | 36  | 140000                | 170000   | 1.35        |
| 32310       | 7610 | 50              | 110 | 40  | 172000                | 212000   | 1.8         |
| 32311       | 7611 | 55              | 120 | 43  | 198000                | 250000   | 2.3         |
| 32312       | 7612 | 60              | 130 | 46  | 229000                | 290000   | 2.85        |
| 32313       | 7613 | 65              | 140 | 48  | 264000                | 335000   | 3.45        |
| 32314       | 7614 | 70              | 150 | 51  | 297000                | 380000   | 4.3         |
| 32315       | 7615 | 75              | 160 | 55  | 336000                | 440000   | 5.2         |
| 32316       | 7616 | 80              | 170 | 58  | 380000                | 500000   | 6.2         |
| 32317       | 7617 | 85              | 180 | 60  | 402000                | 530000   | 6.85        |
| 32318       | 7618 | 90              | 190 | 64  | 457000                | 610000   | 8.4         |
| 32319       | 7619 | 95              | 200 | 67  | 501000                | 670000   | 11          |
| 32320       | 7620 | 100             | 215 | 73  | 572000                | 780000   | 12.5        |
| 32321       | 7621 | 105             | 225 | 77  | 605000                | 815000   | 14.5        |
| 32322       | 7622 | 110             | 240 | 80  | 627000                | 830000   | 17          |
| 32324       | 7624 | 120             | 260 | 86  | 792000                | 1120000  | 21.5        |
| 32326       | 7626 | 130             | 280 | 93  | 858000                | 1180000  | 26.2        |
| 32328       | 7628 | 140             | 300 | 102 | 1100000               | 1570000  | 33.1        |
| 32330       | 7630 | 150             | 320 | 108 | 1170000               | 1660000  | 39.3        |
| 32334       | 7634 | 170             | 360 | 120 | 1310000               | 1830000  | 59.5        |



| Bearing No. |         | Dimensions (mm) |     |      | Basic Load Rating (N) |          | Weight (kg) |
|-------------|---------|-----------------|-----|------|-----------------------|----------|-------------|
| ISO         | GOST    | d               | D   | B    | Dyn. C                | Stat. C0 |             |
| 32922       | 2007922 | 110             | 150 | 25   | 133000                | 231000   | 1.25        |
| 32924       | 2007924 | 120             | 165 | 29   | 172000                | 318000   | 1.82        |
| 32926       | 2007926 | 130             | 180 | 32   | 208000                | 370000   | 2.4         |
| 32928       | 2007928 | 140             | 190 | 32   | 214000                | 395000   | 2.55        |
| 32930       | 2007930 | 150             | 210 | 38   | 285000                | 495000   | 3.9         |
| 32932       | 2007932 | 160             | 220 | 38   | 295000                | 530000   | 4.13        |
| 32934       | 2007934 | 170             | 230 | 38   | 295000                | 560000   | 4.5         |
| 32936       | 2007936 | 180             | 250 | 45   | 281600                | 588000   | 6.65        |
| 32938       | 2007938 | 190             | 260 | 45   | 286400                | 612000   | 7           |
| 32940       | 2007940 | 200             | 280 | 51   | 378400                | 760000   | 9.5         |
| 32944       | 2007944 | 220             | 300 | 51   | 470000                | 864000   | 10.2        |
| 32948       | 2007948 | 240             | 320 | 51   | 510000                | 978000   | 11          |
| 32952       | 2007952 | 260             | 360 | 63.5 | 750000                | 1225000  | 18.7        |
| 32956       | 2007956 | 280             | 380 | 63.5 | 773000                | 1328000  | 20          |
| 32960       | 2007960 | 300             | 420 | 76   | 840000                | 1792000  | 32          |